

## Lesson 22: Combining Like Terms (Part 3)

### 22.1: Are They Equal?

Select all expressions that are equal to  $8 - 12 - (6 + 4)$ .

1.  $8 - 6 - 12 + 4$

2.  $8 - 12 - 6 - 4$

3.  $8 - 12 + (6 + 4)$

4.  $8 - 12 - 6 + 4$

5.  $8 - 4 - 12 - 6$

### 22.2: X's and Y's

Match each expression in column A with an equivalent expression from column B. Be prepared to explain your reasoning.

A

1.  $(9x + 5y) + (3x + 7y)$

2.  $(9x + 5y) - (3x + 7y)$

3.  $(9x + 5y) - (3x - 7y)$

4.  $9x - 7y + 3x + 5y$

5.  $9x - 7y + 3x - 5y$

6.  $9x - 7y - 3x - 5y$

B

1.  $12(x + y)$

2.  $12(x - y)$

3.  $6(x - 2y)$

4.  $9x + 5y + 3x - 7y$

5.  $9x + 5y - 3x + 7y$

6.  $9x - 3x + 5y - 7y$

## 22.3: Seeing Structure and Factoring

Write each expression with fewer terms. Show or explain your reasoning.

1.  $3 \cdot 15 + 4 \cdot 15 - 5 \cdot 15$

2.  $3x + 4x - 5x$

3.  $3(x - 2) + 4(x - 2) - 5(x - 2)$

4.  $3\left(\frac{5}{2}x + 6\frac{1}{2}\right) + 4\left(\frac{5}{2}x + 6\frac{1}{2}\right) - 5\left(\frac{5}{2}x + 6\frac{1}{2}\right)$

## Lesson 22 Summary

Combining like terms is a useful strategy that we will see again and again in our future work with mathematical expressions. It is helpful to review the things we have learned about this important concept.

- Combining like terms is an application of the distributive property. For example:

$$\begin{aligned} 2x + 9x \\ (2 + 9) \cdot x \\ 11x \end{aligned}$$

- It often also involves the commutative and associative properties to change the order or grouping of addition. For example:

$$\begin{aligned} 2a + 3b + 4a + 5b \\ 2a + 4a + 3b + 5b \\ (2a + 4a) + (3b + 5b) \\ 6a + 8b \end{aligned}$$

- We can't change order or grouping when subtracting; so in order to apply the commutative or associative properties to expressions with subtraction, we need to rewrite subtraction as addition. For example:

$$\begin{aligned} 2a - 3b - 4a - 5b \\ 2a + -3b + -4a + -5b \\ 2a + -4a + -3b + -5b \\ -2a + -8b \\ -2a - 8b \end{aligned}$$

- Since combining like terms uses properties of operations, it results in expressions that are equivalent.
- The like terms that are combined do not have to be a single number or variable; they may be longer expressions as well. Terms can be combined in any sum where there is a common factor in all the terms. For example, each term in the expression  $5(x + 3) - 0.5(x + 3) + 2(x + 3)$  has a factor of  $(x + 3)$ . We can rewrite the expression with fewer terms by using the distributive property:

$$\begin{aligned} 5(x + 3) - 0.5(x + 3) + 2(x + 3) \\ (5 - 0.5 + 2)(x + 3) \\ 6.5(x + 3) \end{aligned}$$