


## Lesson 2: Funding the Future

- Let's look at some other things that polynomials can model.

### 2.1: Notice and Wonder: Writing Numbers

What do you notice? What do you wonder?



$$300 + 20 + 9$$

3 100s, 2 10s, 9 1s

$$3(10^2) + 2(10^1) + 9(10^0)$$

### 2.2: Polynomials in the Integers

Consider the polynomial function  $p$  given by  $p(x) = 5x^3 + 6x^2 + 4x$ .

- Evaluate the function at  $x = -5$  and  $x = 15$ .
- How does knowing that  $5,000 + 600 + 40 = 5,640$  help you solve the equation  $5x^3 + 6x^2 + 4x = 5,640$ ?

### Are you ready for more?

Han notices:

- $11^2 = 121$  and  $(x + 1)^2 = x^2 + 2x + 1$
- $11^3 = 1331$  while  $(x + 1)^3 = x^3 + 3x^2 + 3x + 1$

The digits in the powers of 11 correspond to the coefficients of the polynomials.

1. Is this still true for  $11^4$  and  $(x + 1)^4$ ? What about  $11^5$  and  $(x + 1)^5$ ?

2. Give a mathematical justification of Han's observation.

## 2.3: A Yearly Gift

At the end of 12th grade, Clare's aunt started investing money for her to use after graduating from college four years later. The first deposit was \$300. If  $r$  is the annual interest rate of the account, then at the end of each school year the balance in the account is multiplied by a growth factor of  $x = 1 + r$ .

1. After one year, the total value is  $300x$ . After two years, the total value is  $300x \cdot x = 300x^2$ . Write an expression for the total value after graduation in terms of  $x$ .
  
2. If Clare's aunt had invested another \$500 at the end of her freshman year, what would the expression be for the total value after graduation in terms of  $x$ ?

Pause here for a whole-class discussion.

3. Suppose that \$250 was invested at the end of sophomore year, and \$400 at the end of junior year in addition to the original \$300 and the \$500 invested at the end of freshman year. Write an expression for the total value after graduation in terms of  $x$ .
  
4. The total amount  $y$ , in dollars, after four years is a function  $y = C(x)$  of the growth factor  $x$ . If the total Clare receives after graduation is  $C(x) = 1,580$ , use a graph to find the interest rate that the account earned.


## Lesson 2 Summary

Let's say we're going to invest \$200 at an annual interest rate of  $r$ . This means at the end of a year, the balance in the account is multiplied by a growth factor of  $x = 1 + r$ . After the first year, the amount in the account can be expressed as  $200x$ , which is a polynomial. Similarly, after the second year, the amount will be  $200x^2$ , after three years, the amount will be  $200x^3$ , etc.

If an additional \$350 is invested at the end of the first year, we can revise the polynomial. The amount of money in the account after 1 year is the same, but now the amount of money after two years is  $(200x + 350)x = 200x^2 + 350x$ .

What will the polynomial expression look like if \$400 more is invested at the end of the second year and \$150 more is invested at the end of the third year?  
 $200x^4 + 350x^3 + 400x^2 + 150x$ .

Let  $D(x)$  be the amount of money in dollars in the account after four years and  $x$  be the growth factor where  
 $D(x) = 200x^4 + 350x^3 + 400x^2 + 150x$ . A graph of  $y = D(x)$  helps us visualize how the amount in the account after four years depends on different values of  $x$ .



We can use this polynomial model to examine the effect of different annual interest rates, or to estimate what the annual interest rate needs to be to achieve a specific quantity at the end of the four years. For example, point A is at  $(1.04, D(1.04)) \approx (1.04, 1216)$ . From this, we know that the amount in the account after 4 years with an interest rate of 4% each year is approximately \$1,216. Similarly, if we want the account to have \$2,000 after four years, that corresponds to point B, and at that point the growth rate is approximately 1.25 each year, since  $(1.25, D(1.25)) \approx (1.25, 2000)$ . So an interest rate of 25% will get us there, though we are not likely to find a bank that would offer that rate. Note also that the values  $x < 1$  correspond to negative rates, which are also unlikely!

Polynomial models are adaptable to a variety of situations even as they grow in complexity.